

T08N-R02W-01\_0000\_MCS

7-11-74, Charles A. & Ann


777 once development by

BA E-W 1-8-2W 3878' changed to 3.208  
 BA E-W 1-8-2W 2.205-1  
 BA E-W 1-8-2W 3A  
 BA E-W 1-8-2W 74K

Int'l 9-26-1

**FILED**  
OCT 10 1975

John W. Davis  
Attor Monroe County, Indiana




Survey of part of the Northeast Quarter  
Of Section 1, Twp 8 North, Range 2 West

Description: A part of the Northeast Quarter of Section 1, Township 8 North, Range 2 West, Monroe County, Indiana described as follows; beginning at a pipe in the chain-link fence on the South Right-of-Way of State Road # 48 and also being 100.00 feet South and 99.66 feet West of the Northeast Corner of the said Northeast Quarter, thence South 52 degrees 42 minutes 40 seconds East on said fence for 108.37 feet to the West Right-of-Way fence of State Road # 37, thence South 00 degrees 11 minutes 20 seconds East on the West Right-of-Way fence of State Road # 37 for 1205.41 feet to the North Right-of-Way of a railroad, thence South 65 degrees 48 minutes West on the Railroad right-of-way fence for 334.39 feet, thence North 00 degrees 20 minutes 30 seconds West for 520.16 feet, thence West for 0.43 feet, thence North 00 degrees 20 minutes 30 seconds West for 890.00 feet and to the South Right-of-Way of State Road # 48, thence South 89 degrees 14 minutes East on the said right-of-way for 219.63 feet to the point of beginning. Containing in all 9.26 acres more or less. Subject to all existing utility easements.

Survey, Plat, and Descriptions by;


*Raymond Graham*

Raymond Graham  
 RPE 2409 IND  
 3215 N. Smith Pike  
 Ellettsburg, Ind.  
 Feb. 8, 1974



W1  
 MINOR LIT. &  
 INC. 1700 E. 10th  
 St. Monroe, La.  
 70647

Farmers & Mechanics  
 Federal Savings & Loan Assoc.  
 Box 244, Page 78



Y1  
 NE Cor. N.E. 1/4  
 Sec. 17, T. 8 N., R. 10 W.  
 Sec. 17, T. 8 N., R. 10 W.  
 Sec. 17, T. 8 N., R. 10 W.  
 Sec. 17, T. 8 N., R. 10 W.

PROMPT CARE WEST LEGAL DESCRIPTION  
 Revised March 2, 1992  
 (Source: Book 346, Pages 4-5)

A part of the Northeast Quarter of Section 1, Township 8 North, Range 2 West, Van Buren Township, Monroe County, Indiana, more particularly described as follows:

Commencing at the Northwest corner of said Northeast Quarter; thence South 89 degrees 23 minutes 06 seconds East 40.16 feet to the point of beginning; thence South 89 degrees 23 minutes 34 seconds East 216.66 feet; thence North 89 degrees 23 minutes 06 seconds East 223.00 feet; thence North 89 degrees 23 minutes 34 seconds West 210.00 feet; thence North 0 degrees 23 minutes 06 seconds West 225.16 feet to the point of beginning containing 1.085 acres, more or less.

Subject to all easements and rights-of-way.

ALTAIACH LAND TITLE SURVEY  
 JOB #519002  
 SURVEYOR'S CERTIFICATE

The undersigned hereby certifies to Bank One (Bloomington, NA); Monroe County Land Title Company, Inc.; Clitic Realty I an Indiana General Partnership; and Lawyers Title Insurance Corporation as of March 2, 1992 that this survey was actually made upon the ground; that it is and this information, courses and distances are accurate; that the lead in distance from the Northwest corner of the Northeast quarter of Section 1, Township 8 North, Range 2 West, Monroe County, Indiana, is 1502.39 feet versus the distance of 1270.00 feet as recorded in Deed Record 346, Pages 4-5 (Clitic Realty I) and a revised description is provided; that the property description "close" by engineering calculation; that this survey correctly shows the size, location and type of all buildings, structures and other improvements on the property and all are within the boundary lines and applicable set-back lines (whether established by subdivision plat, recorded restrictions or applicable zoning or building codes) affecting the property; that there are no easements or uses affecting the property appearing from a careful physical inspection of the same, other than those shown thereon; that all utility services necessary for the operation of the property are present on the property or within adjacent public right of way or recorded easements; that there are no encroachments on adjoining premises, streets or alleys by any of said buildings, structures or other improvements or encroachments upon the property by any building, structure or other improvement situated upon any adjoining premises; and that the property does not lie within any flood hazard area shown on any U.S. Department of H.U.D. Flood Insurance Boundary Map or special flood hazard area map published by the Federal Emergency Management Agency. This survey was made in accordance with "Minimum Standard Detail Requirements for Land Title Surveys."

Douglas P. Curry March 1, 1992  
 (Name of Surveyor)

Indiana, L.S. # 890006  
 (Registration Number)

Bryan Farny & Associates, Inc.  
 900 W. Michigan Street




HD 111

revisions:

drawn by:

ARCHITECTURE	PLANNING
CIVIL ENGINEERING	LAND SURVEYING
MECHANICAL ENGINEERING	STRUCTURAL ENGINEERING
ELECTRICAL ENGINEERING	ENVIRONMENTAL ENGINEERING
CHEMICAL ENGINEERING	INDUSTRIAL ENGINEERING
MINING ENGINEERING	METALLURGICAL ENGINEERING
WATER RESOURCES ENGINEERING	TRANSPORTATION ENGINEERING
COASTAL & OCEANOGRAPHIC ENGINEERING	NUCLEAR ENGINEERING
BIOMEDICAL ENGINEERING	OTHER

certified by:



**UTILITIES**  
Indiana Gas Company  
225 S. Madison  
Bloomington, Indiana  
47401 812/332-1443  
Public Service Indiana  
1100 W. 2nd Street  
Bloomington, Indiana  
47401 812/336-6771  
Indiana Bell Telephone Co.  
301 N. Washington St.  
Bloomington, Indiana  
47401 1-800-742-5888  
Bloomington City Utilities  
Water and Waste Water  
1969 S. Henderson  
Bloomington, Indiana  
47401 812/339-1444

Size and location of utilities  
are per field location and plans  
provided by respective utilities.  
All utility companies should be  
notified prior to any excavation.

**"Vacant Rail Easement"**

Remnants believed affecting the subject  
tract (per Mr. Ralph Spilke, Lawyer's  
Title Insurance Co., Indianapolis) are  
described in the following documents:  
1) Covenants for Operation, Maintenance,  
and Reimbursement executed dated 5/27/80  
and recorded 9/14/80 in Deed Record 117,  
Page 439, Office of the Monroe County  
Recorder.  
2) A perpetual non-exclusive and unobstructed  
roadway and utility easement over and  
across and through a strip of land sixty  
(60) feet in width as set out and shown  
in instrument dated 5/27/79 and recorded  
8/21/79 in Deed Record 370, Instrument  
#12639, Office of the Monroe County  
Recorder.

**LAND DESCRIPTION**  
Part of the Northeast Quarter of Section 1, Township 8 North,  
Range 2 West, 2nd Principal Meridian, Van Buren Township,  
Monroe County, Indiana, descriptions follows:  
Commencing at a point that is 165.25 feet South and 13.43 feet West  
of the northeast corner of said quarter-section, said point  
being on the west right of way line of State Road 479;  
thence North 52°42'40" West along the south right of way line  
of State Road 479 a distance of 100.37 feet; thence  
North 89°19'24" West along said south right of way line a  
distance of 325.37 feet; thence North 79°51'15" West  
along said south right of way line a distance of 336.53 feet; thence  
North 89°27'38" West along said south right of way line a  
distance of 6.07 feet; thence South 00°27'00" East a distance  
of 40.00 feet to the point of beginning; thence  
North 89°27'38" West a distance of 300.00 feet; thence  
South 00°27'00" East a distance of 225.00 feet; thence  
North 00°27'00" West a distance of 225.00 feet to the point of  
beginning, containing 1.00 acre, more or less.

**NOTES**

- 1) Per City of Bloomington Planning Department, the subject  
tract is zoned MC PUD. Required setbacks are as follows:  
Front (to building), 75 feet from centerline; Rear yard,  
20 feet; Sideyard, 15 foot minimum and 24 foot aggregate.
- 2) In addition to the sanitary sewer along the south line  
of the subject tract, there is an 8 inch sanitary sewer  
running west along the north side of Whitehall Pike.
- 3) Note that the inverts of the sanitary sewer manholes along  
the south line of the subject tract differ in elevation  
from the elevations given on the City Utility plans.
- 4) Right of Way of Whitehall Pike is shown per 1936 plans  
W.P.S.O. Proj. No. 381 sheet 10 of 127 and per 1970  
Project No. 517-893(7) sheet 16 of 155 (S.R. 37).
- 5) Solid plans agree with colls to and along said right of way  
in cross descriptions referenced on the within plat.  
Title commitment not available at time of survey.
- 6) To the best of my knowledge and information there are no  
private sewers or water mains across the subject tract.
- 7) Due to snow cover and cold weather conditions at time of  
survey, reliable judgement on type of soil and water table  
could not be made.
- 8) No physical evidence of property lines on any side, except  
for entrance drive on east and S.R. 48 on north.
- 9) Property owners and corresponding deed record references are  
per Monroe County Auditor's plats and Monroe County Recorder.

**CERTIFICATE OF SURVEY**

I, Gary R. Kent, duly licensed Land Surveyor #50389, in  
accordance with the laws of the State of Indiana do hereby certify  
that on January 17, 1988 a survey was made under my  
supervision of the tract of land in Bloomington, Indiana  
more particularly described below.  
I further certify that to the best of my knowledge,  
information and belief the within plat is a correct  
representation of said survey and that there are no  
encroachments either way across the surveyed boundary except  
as shown.

Top Cor X  
No. Cor. 1-8-20  
East Line NE 1/4 Sec. 1-8-20  
State Road 57

PROJECT: WHITEHALL PLAZA  
RT. 48, BLOOMINGTON, INDIANA 47404-1001  
PREPARED BY: HARDEE'S  
SITUATION SURVEY  
SHEET 1 OF 1  
DATE: 1-17-88  
SCALE: 1" = 20'

Surveyor's Seal: Gary R. Kent, Licensed Land Surveyor #50389, State of Indiana

UOI.  
P.K.NAIL (FOUND)  
N.W.CORNER. W. 1/2  
SECT.1. T8N. R2W

DANIEL  
DR. 116, PG. 92

### LEGEND

[illegible]

UNABLE TO TOPO  
DUE TO VEGETATION COVER

FIRST NATIONAL BANK OF BLOOMINGTON  
DR. 193, PG. 397 & 398

11.17 ACRES ±

NOTE: THIS SURVEY WAS PREPARED FROM A SOURCE  
1.3 THAT FOR CONVICTION PURPOSES OF  
RECORDING PURPOSES IS TO BE  
SUPPLIED BY BUREAU  
IN CONNECTION. 14

2.3 THIS PROPERTY DOES NOT CONTAIN ANY  
PLANNED AND OR PER A FIRM COMMUNITY-  
FACIL. W/STEDS 0220 E. DATED JAN 17, 1981.

3.3 1. PREPARE WITH YELLOW CAP DEL. AND  
STAMPED: SLODGE TAPP PC 50K20004.

4.3 THE LEGAL DESCRIPTION ON THIS SURVEY  
WAS PREPARED TO CORRECT MISLOGGING  
THAT EXISTED IN THE RECORD LEGAL  
FOR THIS PARCEL. THE REVISED LEGAL  
DESCRIBES THE SAME PROPERTY AS PER  
THE RECORD DESCRIPTION.

**SCHEDULE "B" EXCEPTIONS**  
THE EASEMENTS & EXCEPTIONS SHOWN ON THIS SURVEY ARE FROM  
THE SCHEDULE "B" ON TITLE COMMITMENT # 1211977 FROM  
LOTTER TITLE INS DATED 8/12/07 # 8100 40

[illegible]

**Bledsoe Tapp & Riggert, Inc.**  
*Quality Land Surveying and Civil Engineering Services*

1324 "K" Street, Room 150  
Bedford, IN 47421  
(812) 275-0001  
FAX (812) 275-4231

359 Leadwate Avenue  
Bloomington, IN 47404  
(812) 336-8277  
(812) 384-1114  
FAX (812) 336-0817

LAND-TITLE SURVEY  
FOR  
DAVE MINICK

DESIGNED BY: POT  
DRAWN BY: KDS  
CHECKED BY: WBS  
DATE 09-12-07

**LAND TITLE  
SURVEY**

9901




**1 OF 1**

PROJECT NO. **2152**





Section 1 (11/20)



LOCATION MAP

LEGAL DESCRIPTION

A part of the West half of Section 1, Township 8 North, Range 2 West, in Monroe County, Indiana, described as follows: Beginning at a point that is 2895.90 feet South and 19.63 feet East of the Northeast corner of the West half of said Section 1; thence South 89 degrees 39 minutes West for 1272.37 feet; thence South 0 degrees 30 minutes 30 seconds East for 813.52 feet to the centerline of a county road thence North 89 degrees 04 minutes East along the road centerline for 94.48 feet to the line that parallels the railroad and 86 feet from the railroad centerline; thence North 55 degrees 00 minutes East along said line paralleling the railroad centerline for 1453.07 feet and to the point of beginning. Containing in all 12.76 acres, more or less.

EXCEPTING THEREFROM a part of the West half of Section 1, Township 8 North, Range 2 West, Monroe County, Indiana, described as follows: Beginning at a point that is 2895.89 feet south of the Northeast corner of said half section, said point being in the center line of Curry Pike, thence South 89 degrees 29 minutes 30 seconds west for a distance of 422.00 feet; thence south for a distance of 304.14 feet to the center line of Gifford Road, thence over and along the said centerline by the following courses and distances: North 55 degrees east 473.95 feet; North 43 degrees 09 minutes East 49.35 feet to the place of beginning.

A part of the West half of Section 1, Township 8 North, Range 2 West, in Monroe County, Indiana, bounded and described as follows, to-wit: Beginning at a point that is 2895.89 feet South and 422.0 feet west of the northeast corner of said West half of Section 1, thence running North 36 degrees 44 minutes 40 seconds West for 317.84 feet; thence South 52 degrees 04 minutes 20 seconds West for 81.0 feet; thence South 37 degrees 58 minutes 05 seconds East for 151.37 feet; thence South 02 degrees 11 minutes 10 seconds West for 104.67 feet; thence North 86 degrees 52 minutes East for 151.0 feet and to the point of beginning, containing 0.54 acres, more or less.

A part of the West half of Section 1, Township 8 North, Range 2 West, in Monroe County, Indiana, described as follows: Beginning at a point that is 2535 feet South of the Northeast corner of said half section; thence continuing South 0 degrees East (assumed bearing) 360.89 feet to a point in the center line of Curry Pike; thence South 89 degrees 29 minutes 30 seconds West to and along an existing fence 422 feet, more or less; thence North 36 degrees 44 minutes 40 seconds West 317.84 feet to a point said point also being the Southwest corner of Lot Number 243 of the 7th Addition to Highland Villages; thence North 60 degrees 53 minutes 20 seconds East 195 feet; thence North 90 degrees East 280.54 feet; thence North 45 degrees East 21.21 feet; thence North 90 degrees East 146.50 feet to the center line of Curry Pike being the point of beginning, containing 4.1 acres, more or less.

A part of the West half of Section 1, Township 8 North, Range 2 West, in Monroe County, Indiana, described as follows: Beginning at a point that is 2895.89 feet South of the Northeast corner of said half-section, said point being in the centerline of Curry Pike, thence South 89 degrees 29 minutes 30 seconds West for a distance of 422.0 feet, thence South for a distance of 304.14 feet to the centerline of Gifford Road, thence over and along the said centerline by the following courses and distances: North 55 degrees East, 473.95 feet; North 43 degrees 09 minutes East, 49.35 feet to the place of beginning. Containing 1.528 acres, more or less.

VAN BUREN TOWNSHIP  
SECTION 1  
TOWNSHIP 8 NORTH  
RANGE 2 WEST  
DEVELOPER(S) & APPLICANT(S)  
HOSPITALITY HOUSE  
1100 S. CURRY PIKE  
BLOOMINGTON, IN. 47403  
CONTACT - LEE MARCHANT  
(812) 334-2746  
DESIGNER(S) & SURVEYOR(S)  
SMITH NEUBECKER  
& ASSOCIATES, INC.  
453 S. CLARIZZ BOULEVARD  
P.O. BOX 5355  
BLOOMINGTON, IN. 47407  
(812) 336-6536  
OWNER(S)  
HOSPITALITY HOUSE  
1100 S. CURRY PIKE  
BLOOMINGTON, IN. 47403  
CONTACT - LEE MARCHANT  
(812) 334-2746

Smith Neubecker & Associates, Inc.  
453 S. Clarizz Boulevard  
Bloomington, Indiana 47407  
Telephone: (812) 336-6536  
Fax: (812) 336-0613  
Email: www.snabc.com

CERT. 1/1



JOB TITLE  
**HOSPITALITY  
HOUSE  
PUD OUTLINE PLAN**

DESIGNED	BY	DATE
SAB		
WVW		
SAB		


REVISIONS

JOB NUMBER  
**4159**  
SHEET  
**1**  
OF  
**1**  
DATE  
**12/04/07**  
PUD OUTLINE  
PLAN






SCALE - 1" = 40'  
OF IRON PIPE FOUND  
2' CONTOUR INTERVAL



Michael D. Arena  
4/12/82

PLAT SHOWING SURVEY OF 17.59 ACRES IN THE W1/2 OF SECTION 1, T6N, R2W  
MADE FOR THE HOSPITALITY HOUSE, INC. OF BLOOMINGTON, INDIANA  
BY MICHAEL D. ARENA, L.S., BEOFORD, INDIANA





Description - 9.31 Acres

A part of the Northeast quarter of Section 1, Township 8 North, Range 2 West, in Monroe County, Indiana, described as follows: beginning at the Northeast corner of the said Northeast quarter; thence North 89 degrees 27 minutes 30 seconds East along the North line of the said Northeast quarter for 317.29 feet; thence South 00 degrees 20 minutes 30 seconds East for 100.00 feet to an iron pipe and the true point of beginning, this being also the South right-of-way of State Road 48; thence South 89 degrees 19 minutes 24 seconds East along the said South right-of-way for 219.63 feet to an iron pipe; thence continuing along the said right-of-way South 52 degrees 42 minutes 40 seconds East for 158.37 feet to the West right-of-way of State Road 37; thence South 00 degrees 20 minutes 30 seconds East along the said West right-of-way for 125.41 feet to an iron pipe on the North right-of-way of the Illinois Central Railroad; thence South 65 degrees 48 minutes 00 seconds West along the said railroad right-of-way for 313.55 feet to an iron pipe; thence North 00 degrees 20 minutes 30 seconds West for 520.16 feet to an iron pipe; thence North 30 degrees West for 0.42 feet to an iron pipe; thence North 00 degrees 20 minutes 30 seconds East for 870.00 feet to the true point of beginning. Containing in all 9.31 acres more or less. Subject to all existing utility easements.


Description - 74.00 Acres

A part of the Northeast quarter of Section 1, Township 8 North, Range 2 West, in Monroe County, Indiana, described as follows: beginning at the Northeast corner of the said Northeast quarter; thence North 89 degrees 27 minutes 30 seconds East along the North line of the said Northeast quarter for 317.29 feet; thence South 00 degrees 20 minutes 30 seconds East for 100.00 feet to an iron pipe on the South right-of-way of State Road 48, this being the true point of beginning. Thence along the South right-of-way of State Road 48 North 89 degrees 19 minutes 24 seconds West for 109.74 feet to a concrete marker; thence continuing along the said right-of-way North 79 degrees 51 minutes 12 seconds West for 356.53 feet to a concrete marker; thence continuing along the said right-of-way North 89 degrees 27 minutes 30 seconds West for 841.07 feet to an iron pipe, said pipe being 40.00 feet South of the North line of the said Northeast quarter and 955.00 feet East of the Northeast corner of the said Northeast quarter; thence leaving the South road right-of-way and going South 00 degrees 23 minutes 08 seconds East parallel with the West line of the said Northeast quarter for 100.00 feet to an iron pipe; thence North 89 degrees 35 minutes 37 seconds West for 75.00 feet to an iron pipe; thence South 00 degrees 23 minutes 08 seconds East for 170.00 feet to an iron pipe; thence North 89 degrees 35 minutes 37 seconds West for 507.04 feet to an iron pipe; thence South 00 degrees 23 minutes 08 seconds East for 617.28 feet to an iron pipe; thence South 89 degrees 35 minutes 37 seconds East for 308.54 feet to an iron pipe; thence South 07 degrees 29 minutes 54 seconds West for 321.07 feet to an iron pipe; thence South 16 degrees 02 minutes 04 seconds West for 321.90 feet to an iron pipe; thence South 06 degrees 14 minutes 54 seconds West for 311.59 feet to an iron pipe; thence North 89 degrees 35 minutes 37 seconds West for 38.50 feet to an iron pipe; thence South 00 degrees 23 minutes 08 seconds East for 346.50 feet to an iron pipe; thence South 88 degrees 09 minutes 42 seconds East to an iron pipe on the North right-of-way of the Illinois Central Railroad; thence along the said railroad right-of-way on a curve to the right, said curve having a length of 1116.29 feet, and a chord bearing of North 60 degrees 32 minutes 06 seconds East with chord length of 1115.22 feet; thence continuing along the railroad right-of-way North 65 degrees 01 minutes 43 seconds East for 346.55 feet to an iron pipe; thence North 00 degrees 20 minutes 30 seconds West for 520.16 feet to the true point of beginning. Containing in all, 74.00 acres more or less. Subject to all existing utility easements.

ENGINEER'S CERTIFICATION

I, Raymond Graham, hereby certify that I am a Registered Professional Engineer and Land Surveyor, licensed in compliance with the laws of the State of Indiana, and I further Certify that the plat shown is a true and correct representation of a survey completed under my supervision, and that there are no encroachments upon the described property, nor are there any encroachments by the described property upon adjacent properties.

Raymond Graham  
3215 N. South Pike  
Bloomington, Indiana  
September 30, 1974



NOTE: Survey description has been revised from the original description of the separate tracts in order to correspond with the intention of the original survey leaving bounding tracts with the correct dimensions.

LEGEND


DENOTES IRON PIN PLACED

DENOTES SAN. SEWER MANHOLE

CURVE 1-DATA

CHORD	N 60° 50' 06" E
CENTRAL ANGLE	1115.22'
RADIUS	8° 41' 14"
LENGTH (ARC)	7362.85'
	1116.29'







1.217 ACRES ±

Description:  
A part of the Northeast quarter of Section 1, Township 3 North, Range 2 West, Monroe County, Indiana described as follows; beginning at a point on the South right-of-way of State Road 48 it is North 89 degrees 27 minutes 38 seconds West for 1535.27 feet and thence South 00 degrees 23 minutes 08 seconds East for 40.00 feet to the Northeast corner of the said Northeast quarter, Section 1, Township 3 North, Range 2 West, thence South 89 degrees 27 minutes 38 seconds East along the South right-of-way of said State Road 48 for 200.00 feet; thence South 00 degrees 23 minutes 08 seconds East for 265.00 feet; thence North 89 degrees 27 minutes 38 seconds West for 200.00 feet; thence North 00 degrees 23 minutes 08 seconds West for 265.00 feet and to the point of beginning. Containing 1.217 acres more or less.


Raymond Graham  
Raymond Graham  
Indiana P. E. 6107  
3215 N. Smith Pike  
Bloomington, Ind.



DR. J.A. CREEK PROPERTY  
APPLICATION FOR FOREST LAND CLASSIFICATION




1" = 600'  
DEC. 28, 1975





**SURVEYOR'S CERTIFICATE**  
THIS SURVEY WAS PERFORMED UNDER THE DIRECTION OF THE UNDERSIGNED  
AND TO THE BEST OF THIS SURVEYOR'S KNOWLEDGE AND BELIEF WAS  
EXECUTED ACCORDING TO SURVEY REQUIREMENTS IN 865 IAC 1-12 FOR THE  
STATE OF INDIANA. THE FIELD WORK WAS COMPLETED DECEMBER 19, 2019.

DATED DECEMBER 17, 2019

*TMB*  
\_\_\_\_\_  
TODD M. BORGSMAN  
REGISTERED LAND SURVEYOR NO. 21200021  
STATE OF INDIANA



I AFFIRM, UNDER THE PENALTIES FOR PERJURY, THAT I HAVE TAKEN REASONABLE CARE TO REDACT EACH SOCIAL SECURITY NUMBER IN THIS DOCUMENT, UNLESS REQUIRED BY LAW. (TODD BORGMAN)



VICINITY MAP

★ PROJECT LOCATION

BOUNDARY SURVEY  
S LIBERTY DRIVE  
BLOOMINGTON, INDIANA  
SEC 01-T8N-R2W

[illegible]

FIELD TS/SD	EMARTED SPP	CHECKED TMR
----------------	----------------	----------------

JOB NUMBER  
5995  
SHEET  
1 OF 1

DATE 12/16/19

BOUNDARY  
SURVEY